

APTANA

Bassinet



0 KG
—
9 KG
(newborn - 6 months approx.)

IMPORTANT KEEP THIS
BOOKLET IN A SAFE PLACE
FOR FUTURE REFERENCE

Contents

03

About Your Bassinet

Warnings & Important Notes	03
Lift & Carry Correctly	04
What's in the Box: Bassinet Parts	05
Bassinet Features	06

Bassinet Assembly

Opening the Bassinet	08
Attaching the Liner	09
Inserting the Mattress Pad	09

Bassinet Operation

Using the Canopy	10
Attaching the Bassinet Cover	10
Attaching the Bassinet to the Stroller frame	11
Removing the Bassinet to the Stroller frame	11
Using the View & Ventilation Panels	12

Bassinet Accessories

Attaching the Rain Cover	13
Attaching the Sun Shade	13

Care & Maintenance

Care & Maintenance	14
Warranty	17
Notes	19



WARNINGS

- **DO NOT USE FOR UNSUPERVISED SLEEPING.**
- **DO NOT USE THE BASSINET ONCE THE CHILD CAN SIT UP UNAIDED.**
- **DO NOT USE ANY ACCESSORIES OTHER THAN THOSE APPROVED FOR USE WITH THIS STROLLER BY BRITAX.**
- **IT IS UNSAFE TO USE ACCESSORIES NOT APPROVED FOR USE WITH THIS STROLLER.**
- **THE BASSINET CAN ONLY BE USED ON THE STROLLER FRAME, IT CAN NOT BE USED AS A STAND ALONE BASSINET.**
- **THE MAXIMUM WEIGHT OF THE CHILD USING THE BASSINET IS NOT TO EXCEED 9KGS (20lb).**

IMPORTANT NOTES:

- Remove the stroller seat or baby capsule from the frame before fitting the bassinet.
- Always remove your child from the bassinet before fitting or removing the bassinet from the stroller frame.
- The bassinet must always be on parent facing mode (facing handlebar).
- The bassinet must be removed from the frame before folding.
- Do not lift the stroller by the bassinet.
- The Britax Aptana bassinet is designed to fit the Britax Aptana stroller.



This **CAUTION** symbol is shown at certain steps in this instruction manual to highlight the danger of being injured by moving parts.

Lift & Carry Correctly

The SMART lifting technique: This technique can be used to pick up small light loads from low levels.

Size up the load

- Assess the load (size, shape, and weight).
- Assess whether the load needs to be moved;
- Where is it going to be placed? Check that there are no obstructions;
- Assess whether mechanical or human assistance is required.

Move the load as close to the body as possible

- A load is heavier to lift or carry if it is not close to the body.
- The whole hand should be used to ensure a firm grip.

Always bend your knees

- Maintain balance.
- Keep feet apart and in a comfortable position.
- Minimise lower back bending.
- Bend knees preferable at as large an angle as possible but not at a right angle – use a semi-squat in preference to a full squat.

Raise the load with your legs

- Achieve the lift smoothly and without jerkiness.
- Maintain the normal curvature of the spine to allow the force of the load to be distributed evenly from the spine to the pelvis.


Turn your feet in the direction that you want to move the load.

- Avoid unnecessary bending, twisting, and reaching.
- Change direction by turning your feet and not your back.
- To set the load down, squat down, keep your head up and let your legs do the work.


Remember to **THINK TALL** – chest lifted, shoulders relaxed, chin tucked in, and head level.

What's in the Box: Bassinet Parts


1 x Frame and Canopy




1 x Liner



1 x Mattress Pad




1 x Bassinet Cover




For Stroller
information
refer to:



Bassinet Features





Bassinet Features





Bassinet Assembly


Opening the Bassinet



Attaching the Liner



Bassinet Assembly




Bassinet Operation

Using the Canopy

! CAUTION:


ENSURE THE CANOPY ADJUSTER IS IN THE LOCKED POSITION BEFORE
LIFTING THE BASSINET BY THE CARRY HANDLE.

A




Press on the canopy release buttons on the inside of the canopy and rotate the carry handle forward until it locks into position.

B




Place the canopy fabric over the top of the carry handle and zip around both sides of the carry handle.

C



Secure the canopy to the bassinet by zipping around the back of the bassinet.

Attaching the Bassinet Cover



Place the bassinet cover over the bassinet and use the zippers to close.

IMPORTANT NOTE:

- Always remove your baby from the bassinet before installing or removing the bassinet.
- Always remove the bassinet before folding.

PLEASE NOTE: The bassinet can only be used in parent facing mode.


Memory Release Buttons:

The stroller memory release buttons are for easy seat, bassinet or baby capsule adaptor release from frame. Once the memory release buttons are pressed in, the seat, bassinet or baby capsule adaptors are technically unlocked and ready to be released from the frame. Always check the memory release buttons are locked before using the stroller.

Attaching the Bassinet to the stroller frame



click



Align the bassinet connectors directly over the seat frame sockets and push down until both connectors lock in place.

Removing the Bassinet from the stroller frame




Push the release buttons in on both sides of the seat frame sockets. Lift the bassinet up from carry handle to release from the frame.


Bassinet Operation

Bassinet Operation

Using the View & Ventilation Panels



Lift canopy window flap/panel flap to expose the mesh view & ventilation panels when required.




TIP: The view & ventilation panels can be opened to cool and provide more air flow to the baby.

Bassinet Accessories (Sold Separately)

Attaching the Universal Rain Cover

IMPORTANT NOTE:


- Ensure the rain cover is kept away from the child's face.
- Refit the rain cover if required to ensure your child is safe.



Fit the rain cover over the canopy. Secure the toggles and elastic loops around the back of the canopy. Wrap the bottom of the cover under the bassinet.

Attaching the Universal Sun Cover

Fit the cover over the canopy. Secure the toggle and elastic loop around the sides of the canopy frame. Wrap the bottom of the cover under the bassinet.



To expose mesh window, lift the top cover flap and secure with toggle and elastic loop at the top.

Care & Maintenance

General Maintenance & Repair

- Ensure all safety devices, locks, harness, and brakes are in working order.
- Ensure all joints and folding areas move freely as intended.
- Should any moving or locking parts become stiff or hard to operate, ensure these are free from tension, or dirt by wiping clean with a damp cloth to remove any dirt, sand, or debris. Allow to dry and lightly spray with a dry silicon lubricant. Please carefully read the lubricant instructions prior to use.
- Ensure wheels are regularly cleaned with a damp cloth by removing dirt, sand, or debris. Allow to dry and lightly spray the wheel pivot pin with a dry silicon lubricant to keep the wheels moving smoothly. Please carefully read the lubricant instructions prior to use.
- Regularly spray all moving parts with a dry silicon lubricant. Please carefully read the lubricant instructions prior to use.
- Ensure all connecting rivets and screws are secure. Tighten if required.
- If there are compression marks on the tyres, use a domestic hair dryer to gently warm (DO NOT OVERHEAT) the tyre and the compression marks should slowly disappear.
- To maintain the safety and longevity of the

stroller, seek prompt repairs or replacement for bent, torn, worn, or broken parts. Do not continue to use the stroller if unsafe.

- All repairs should only be carried out by an authorised Britax repairer. Only Britax replacement parts should be used with the stroller. It may be unsafe to use parts supplied from another manufacturer.

General Tips

Do not store the stroller in your car for prolonged periods of time during summer as it may lead to damage to some of the plastics components.

Do not leave the stroller in direct sunlight for extended periods of time, as colours of some fabrics may fade, and tyres may deteriorate.

Do not fold or store the stroller if damp or wet, as fabric may develop mould or mildew. Always store the stroller inside in a dry, well-ventilated area.

Do not place heavy objects on top of the stroller as it may alter the shape.

Should you have any further questions on care & maintenance of the stroller, please contact our Consumer Service Team at:
aunz-support@britax.com

Care & Maintenance

Leatherette

- Spot clean with a damp soft cloth.
- **DO NOT** use a dripping wet cloth or wet the leatherette excessively.

Wheels

- Remove wheels from stroller.
- Clean with damp cloth and soap or mild detergent. Use brush to remove dirt and mud build up around the tyre. Allow to dry thoroughly before placing wheels back on the frame.
- If necessary lubricate wheel shaft with a small amount of lubricant before placing into the stroller.
- Ensure the stroller is cleaned thoroughly after using it on the beach as sand and salt can damage stroller mechanism, wheel assembly, causing premature wear and corrosion.

PLEASE NOTE:

Our product warranty does not cover any rust to the rivets or screws, if you are caught in the rain or at the beach always thoroughly dry the frame to avoid any rust damage.

Care & Maintenance

Just like servicing your car or bicycle, prams and strollers also need **regular maintenance checks**. These checks can improve product performance, extend the life of your stroller and help to provide you and your children a safe and smooth journey.

We recommend servicing your stroller every 6 months and completing an inspection once a month. To prolong the life of your stroller, a regular maintenance should be performed.

RECOMMENDATION
Service every **6 Months**
Inspect **Monthly**

5 STEP CHECK LIST

1. **INSPECT SAFETY DEVICES** tether strap, frame lock, harness, buckle and brakes, and ensure all are in working order and free from dirt, sand, and debris.
2. **INSPECT** all connecting rivets and screws are secure.
3. **MAKE SURE FOLDING JOINTS** are free of dirt, dust, and debris by cleaning with a damp cloth, allow to dry and lightly spray with a dry silicon lubricant. Please carefully read the lubricant instructions prior to use.
4. **REMOVE WHEELS** and wipe clean with a damp cloth to remove any dirt, sand or debris. Allow to dry and lightly spray the wheel pivot pin with a dry silicon lubricant to keep the wheels moving smoothly. Please carefully read the lubricant instructions prior to use.
5. **ENSURE WHEN FOLDING AND STORING** to wipe down your stroller frame and allow to dry before storing in a dry place without direct sunlight.

Warranty

Australian Consumer Law

On all of our goods, you have the benefit of a statutory consumer guarantee. In summary, goods are guaranteed to be of "acceptable quality" (fit for purpose), goods are guaranteed to match any sample against which they are sold. These consumer guarantees are provided for by the Australian Consumer Law and, if you believe any one of these guarantees is not satisfied by a Britax product, you have rights under the Australian Consumer law to enforce that guarantee.

Your rights under the statutory consumer guarantees are set out in the **Australian Competition and Consumer Commission's Consumer Guarantees - A Guide for Consumers**.

In addition to the statutory consumer guarantees, **Britax** offers its own company warranty on all of its products. You therefore have the option of seeking redress for defective or faulty product either under the **Britax** company warranty or the statutory guarantees.

After the **Britax** company warranty expires, you still have your rights under the statutory consumer guarantees.

International Warranty

Britax products are available through a network of retailers in Australia and New Zealand. If you are an international customer we do not offer a warranty service outside of these regions.

THIS PRODUCT IS NOT INTENDED FOR COMMERCIAL USE

Warranty

Did you know?

Registering your product online simplifies proof of purchase in the event of a warranty claim.

Head to our website to fill out the product registration form:

britax.com.au britax.co.nz



Notes

Making A Warranty Claim

Your rights under a **Britax** company warranty are separate from and independent of your rights under the statutory consumer guarantees. What you need to do to enforce your rights under a statutory consumer guarantee is set out in the

Australian Competition and Consumer Commission's Consumer Guarantees - A Guide for Consumers.

To make a claim under a **Britax** company warranty, please contact our customer service team on:


Australia: 1300 303 330 / **New Zealand:** 0508 688 822 or alternatively by email at: aunz-support@britax.com

You will be required to :

- Return the product to the place of purchase or to a designated repair agent;
- Present your receipt as proof of purchase;
- Identify the defect in the product; and
- Present the product to **Britax** for inspection on request.

Britax will advise you whether the product is covered by the **Britax** company warranty. **Britax's** decision of whether a product is covered by a **Britax** company warranty is final.

Britax will act reasonably when determining whether a product is covered by a company warranty.



Scan QR code
for features,
how to use and
installation.

Series No. 402K

Britax Childcare Pty. Ltd.

A.B.N. 55 006 773 600

Level 4, 650 Lorimer Street, Port Melbourne, Victoria 3207, Australia

Phone: (03) 9288 7288 **Fax:** (03) 9311 5798

Customer Service

Australia: 1300 303 330 / New Zealand: 0508 688 822

Due to our continuing program of development, Britax reserves the right to alter the specifications, color or design without any further notice.

The **Britax** trademark is the property of Britax Childcare Holdings Limited - UK.

Visit the **Britax** website at: **britax.com.au or britax.co.nz** or email us at **aunz-support@britax.com**

Due to the variations in the style and design of our products the illustrations used in this instruction booklet are generic.

This product is designed to comply with:

AS/NZS 8811.1:2013 "Methods of testing infant products. Method 1: Sleep surfaces –

Test for firmness"

EN 1466:2023 "Safety requirements and test methods for child use and care articles – Carry cots and stands"

Australian Standard AS 2088:2022 "Prams and Strollers- Safety Requirements"

Copyright © 2024 Britax Childcare Pty. Ltd. Australia

P/No. 2203678/B